

## SAFETY DATA SHEET

# **GEARSYN 75W-90**HEAVY DUTY SYNTHETIC GEAR LUBRICANT

Issue Date 23-March-2015 Revision Date 01-June-2022 Version 3

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name GEARSYN 75W90

Other means of identification

Product code: GEARSYN 75W90

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address** Petrochem, Inc.

333 North Randall Road

St. Charles, IL 60174 Phone: (630) 513-6350

Fax: (6300 513-8324

Emergency telephone number

Emergency Telephone CHEMTREC: 1-800-424-9300; INTERNATIONAL: (703) 527-3887

## 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Sub-category 1B

#### Label elements

## **EMERGENCY OVERVIEW**

Signal word Warning

#### **Hazard statements**

Causes serious eye irritation May cause an allergic skin reaction



\_\_\_\_\_

Appearance Oil Physical state Liquid **Odor** Slight Sulphurous

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

If eye irritation persists: Get medical advice/attention Skin IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other information

Harmful to aquatic life with long lasting effects

**Unknown Acute Toxicity** 

3.71823% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Components	CAS-No	Weight %	Trade Secret
Petroleum process oil	64742-52-5	1-5	*
Olefin Sulfide	68937-96-2	1-5	*
Hydrotreated Distillate, Light Paraffinic	64742-55-8	1-10	*
2,5-bis(n-octyldithio)-1,3,4-thiadiazole	13539-13-4	0.1-0.5	*
Alkenyl imidazoline	27136-73-8	0.1-0.2	*

## 4. FIRST AID MEASURES

#### First aid measures

Eve contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin contact: Wash off immediately with soap and plenty of water. If a person feels unwell or symptoms

of skin irritation appear, consult a physician.

Inhalation: In the case of inhalation of aerosol/mist consult a physician if necessary.

Ingestion: Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water. Consult a

physician if necessary.

## Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media:

Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire, cool tanks with water spray.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Contaminated surfaces will be extremely slippery. Wear personal protective equipment.

Environmental precautions

**Environmental precautions:** Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Components	ACGIH TLV	OSHA (TWA mg/m <sup>3</sup> ):	IDLH:
Petroleum process oil - 64742-52-5	5 mg/m <sup>3</sup> (oil mist)	5 mg/m <sup>3</sup> (oil mist)	
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	5 mg/m <sup>3</sup> (oil mist)	5 mg/m <sup>3</sup> (oil mist)	

## **Appropriate engineering controls**

Engineering measures to reduce

Ensure adequate ventilation, especially in confined areas.

exposure:

Individual protection measures, such as personal protective equipment

**Respiratory protection:** Breathing apparatus needed only when aerosol or mist is formed.

Hand protection: Gloves made of plastic or rubber

Eye protection: Safety glasses

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection

against this potential effect

General Hygiene Considerations Avoid contact with skin, eyes and clothing

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

Odor thresholdNo information Appearance Oil **Odor** Slight Sulphurous Color Clear

available

**Property** Values Remarks • Method pН Not applicable Melting No information Boiling point  $/ > 315 \, ^{\circ}\text{C} /$ 

600 °F point/freezing available boiling range

point

Flash point > 204 °C / Cleveland Open Cup **Evaporation** No information

400 °F rate available No information Flammability **Flammability** 

available Limit in Air (solid, gas) Upper No information Lower No information flammability flammability available

available limit: limit:

Vapor No information Vapor density No information available

pressure available Specific < 0.9 Water Insoluble in Gravity solubility water

Solubility in No information Partition No information other solvents available available coefficient Autoignition No information **Decomposition**No information temperature temperature available available No information Kinematic approx. 157 **Dynamic** cSt @ 40 ° C viscosity available viscosity

**Explosive properties** No information available No information available **Oxidizing properties** 

Other information

No information available Softening point No information available Molecular weight **VOC Content (%)** No information available **Density** No information available **Bulk density** No information available

## 10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical stability

Stable under normal conditions Stability

**Possibility of Hazardous Reactions** 

Possibility of Hazardous

Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

**Conditions to avoid** 

Conditions to avoid No special storage conditions required

**Hazardous Decomposition Products** 

**Hazardous Decomposition** 

**Products** 

Thermal decomposition can lead to release of irritating gases and vapors

**Incompatible materials** 

Incompatible materials Oxidising agents

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information

**Eye contact** Contact with eyes may cause irritation.

Skin contact Substance does not generally irritate and is only mildly irritating to the skin. May cause

sensitization by skin contact.

**Inhalation** Avoid breathing vapors or mists.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Olefin Sulfide - 68937-96-2	= 6500 mg/kg (Rat)	-	-
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	-	-	= 3900 mg/m <sup>3</sup> ( Rat ) 4 h

#### Information on toxicological effects

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by skin contact.

Mutagenic effects: Did not show mutagenic or teratogenic effects in animal experiments.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Reproductive toxicity**This product does not contain any known or suspected reproductive hazards.

STOT - Single Exposure

None under normal use conditions.

STOT - Repeated Exposure

None under normal use conditions.

**Aspiration hazard** Not applicable.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 3.71823% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 6014 mg/kg

 ATEmix (dermal)
 7992 mg/kg

 ATEmix (inhalation-vapor)
 96906 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

May cause long lasting harmful effects to aquatic life

3.146% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Petroleum process oil - 64742-52-5		
Algae/aquatic plants	-		
Fish	5000: 96 h Oncorhynchus mykiss mg/L LC50		
Crustacea	1000: 48 h Daphnia magna mg/L EC50		
	Olefin Sulfide - 68937-96-2		
Algae/aquatic plants	-		
Fish	250 - 500: 96 h Pimephales promelas mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 semi-static		
Crustacea	1000: 48 h Daphnia magna mg/L EC50		
	Hydrotreated Distillate, Light Paraffinic - 64742-55-8		
Algae/aquatic plants	-		
Fish	5000: 96 h Oncorhynchus mykiss mg/L LC50		
Crustacea	1000: 48 h Daphnia magna mg/L EC50		

\_\_\_\_\_\_

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

The product is insoluble and floats on water.

#### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

**DOT** Not Regulated by any means of transportation

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA: Listed in TSCA

**DSL:** All of the components in this product are listed in DSL

EINECS/ELINCS
CHINA:
This product complies with EINECS/ELINCS
This product complies with China IECSC.
KECL:
This product complies with Korea KECL.
This product complies with Philippines PICCS.

AICS: All the constituents of this material are listed on the Australian AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

**Acute Health Hazard** 

Yes

\_\_\_\_\_

Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **State Regulations (RTK)**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Components	NJRTK:	MARTK:	PARTK:
Petroleum process oil - 64742-52-5	Substance no. 1437 Listed. Substance no. 4004 Listed.	Not Listed	Not Listed
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	Substance no. 1437 Listed. Substance no. 4004 Listed.	Listed.	Not Listed

## U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## **16. OTHER INFORMATION**

Nfpa: Health: 1 Flammability: 1 Instability 0

NFPA/HMIS \* for Carc, Muta, Tera, Specific Organ \*

HMIS health rating:

Health: 2 Flammability: 1 Physical hazards 0 Personal protection B

 Issue Date
 23-MAR-2015

 Revision Date
 01-JUN-2022

Revision Note Not applicable Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**