

Petrochem

SAFE RELIABLE MACHINERY LUBRICANTS

PRODUCT LIST



High performance premium synthetic, semi-synthetic, and mineral based lubricants for the food processing and baking industry's equipment needs

High Temperature Premium Oven Chain Lubricants

Recommended Operating Temperature up to 625°F (330° C)
CONVEYOR, TRAY, TUNNEL & TORTILLA CHAINS

- FOODSAFE® **PETRO-GARD® FG-46** H1 Food Grade, ISO 46, Eco-Friendly Synthetic Ester
- FOODSAFE® **PETRO-GARD® FG-68** H1 Food Grade, ISO 68, Synthetic Ester
- FOODSAFE® **PETRO-GARD® FG-100** H1 Food Grade, ISO 100, Synthetic Ester
- FOODSAFE® **PETRO-GARD® FG-220** H1 Food Grade, ISO 220, Synthetic Ester
- FOODSAFE® **PETRO-GARD® FG-350** H1 Food Grade, ISO 350, Synthetic Ester
- FOODSAFE® **ULTRA-GARD® FG-220** H1 Food Grade, ISO 220, Premium Synthetic Ester
- FOODSAFE® **WHITE-GRAPHITE FG-220** H1 Food Grade, ISO 220, Synthetic Ester with Ultra-Fine White Graphite Powder, For Operating Temperature up to 1200° F (649° C)
- FOODSAFE® **PURE-LUBE** H1, ISO 100 Food Grade Synthetic High Temperature Multi-Purpose Lubricant Aerosol Spray Can 14 ounces
- HT-2000** H-2, ISO 100, Synthetic Ester Premium Additive Blend
- PETRO-GARD® 220** H2, ISO 220, Synthetic Ester
- OPTI-LUBE 220** H2, ISO 220, Premium State of the Art Ester Blend, High Temperature Oven Chain Lubricant, Very low evaporation rates

Room Temperature Chain Lubricants

- FOODSAFE® **PMO FG 100** H1, ISO 100, Food Grade Premium Mineral Oil/Ester Mixture
- FOODSAFE® **PR FG-100** LeMatic Forker Chain Lubricant H1, ISO 100, Food Grade Synthetic PAO
- FOODSAFE® **FG BIOTECH PENETRATING LUBE** Biodegradeable H1 Food Grade Penetrating Oil, ISO 10/15

Proofer Chain Lubricants

- FOODSAFE® **PMO FG-100** Premium Mineral Oil/Ester Mixture, H1, FG, ISO 100
- FOODSAFE® **PR FG-150** Synthetic PAO, H1, Food Grade, ISO 150
- FOODSAFE® **PR FG-220** Synthetic PAO, H1, Food Grade, ISO 220
- FOODSAFE® **PR FG-15** Dry Proofer Chain Oil, Synthetic PAO, H1, FG, ISO 15
- PR-500** Synthetic Ester, H-2, ISO 100

Cooler Chain Lubricants

- FOODSAFE® **CR FG-10** Food Grade H1, Synthetic Cooler Chain, SAE 10 ISO 32
- FOODSAFE® **CR FG Series** Food Grade, H1, Synthetic Cooler Chain Lubricants Available in ISO Grades 15, 32, 46, 68, and 100
- FOODSAFE® **FMO 32** (Cooler) Food Grade, H1, Mineral Based, SAE 10, ISO 32

Trolley Chain Lubricant

- FOODSAFE® **TROLLEY LUBE 46** H1, ISO 46, Food Grade Mineral Based

Cleaners

- FOODSAFE® **CC-2208FG** H1 Food Grade ISO 32 Carbon Chain Cleaner
- FOODSAFE® **Flushing Oil FG-22** Food Grade Synthetic Flushing & Chain Cleaning Oil
- SC-2430** Supreme Clean NSF C-1 & A-1 Approved Food Processing Plants
- CC-2208** Carbon Chain Cleaner

Divider Oil & Release Agents

- FOODSAFE® **DIVIDER OIL 90** – 3H & H1, ISO 15/22, Food Grade White Mineral Oil Food Grade Dough Divider, Knife lubricant, Food Mixers, Meat Grinders & Release Agent
- FOODSAFE® **DIVIDER OIL 210** – 3H & H1, ISO 32/46, Food Grade White Mineral Oil Food Grade Dough Divider, Knife lubricant, Food Mixers, Meat Grinders & Release Agent

Grease

- FOODSAFE® **PETRO-GARD® FMG-1** H1 Food Grade Semi-Synthetic General Purpose, NLGI-1, Temperatures up to 300° F (149° C)
- FOODSAFE® **PETRO-GARD® FMG-2** H1 Food Grade Semi-Synthetic General Purpose, NLGI-2, Temperatures up to 300° F (149° C)
- FOODSAFE® **SYN GEL FG-750** H1 Food Grade High Temperature Synthetic Hydrocarbon/Fortified with PFP E Inorganic Thickner Grease NLGI-2, maximum exposure temperature 500° F (260° C)
- FOODSAFE® **PFPE 7000** H1, High Temperature, Synthetic PFP E grease fortified with polytetrafluoroethylene, maximum exposure temperature 600° F (316° C)
- FOODSAFE® **PETRO-GARD® XP-00** H1 Food Grade Synthetic Calcium Sulfonate Grease, NLGI-00, Service Temperature -40° C TO 177° C (-40° F TO 350° F)
- FOODSAFE® **PETRO-GARD® XP-1** H1 Food Grade Synthetic Calcium Sulfonate Grease, NLGI-1, Service Temperature -40° C TO 177° C (-40° F TO 350° F)
- FOODSAFE® **PETRO-GARD® XP-2** H1 Food Grade Synthetic Calcium Sulfonate Grease, NLGI-2, Service Temperature -40° C TO 177° C (-40° F TO 350° F)
- PETRO-GARD® LCH-100** H2 Industrial Multi-Purpose Synthetic Hydrocarbon Lithium Complex Thickner Grease, NLGI-1, Temperatures up to 300° F (149° C)
- PETRO-GARD® LCH-220** H2 Industrial Multi-Purpose Synthetic Hydrocarbon Lithium Complex Thickner Grease, NLGI-2, Temperatures up to 300° F (149° C)
- BARIUM 320** Barium Complex Grease, NLGI -2, Service Temperature -10° F to 429° F (220° C)

Gear Lubricants

Mineral Based Gear & Food Machinery A/W Oils H1

- FOODSAFE® **FMO 150** (Gear) Food Grade, ISO 150
- FOODSAFE® **FMO 220** (Gear) Machinery Oil FG-90, Food Grade, ISO 220
- FOODSAFE® **FMO 320** (Gear) Food Grade, ISO 320
- FOODSAFE® **FMO 460** (Gear) Food Grade, ISO 460
- FOODSAFE® **FMO 680** (Gear) Food Grade, ISO 680

Semi-Synthetic H-1

- FOODSAFE® **GEAR FG-150** Food Grade, ISO 150
- FOODSAFE® **GEAR FG-220** Food Grade, ISO 220
- FOODSAFE® **GEAR FG-320** Food Grade, ISO 320
- FOODSAFE® **GEAR FG-460** Food Grade, ISO 460
- FOODSAFE® **GEAR FG-680** Food Grade, ISO 680

Synthetic HYDROCARBON (PAO) H1

- FOODSAFE® **GEARSYN FGG-150** SAE 85W Food Grade, ISO 150
- FOODSAFE® **GEARSYN FGG-220** SAE 90 Food Grade, ISO 220
- FOODSAFE® **GEARSYN FGG-320** SAE 90/140 Food Grade, ISO 320
- FOODSAFE® **GEARSYN FGG-460** SAE 140 Food Grade, ISO 460
- FOODSAFE® **GEARSYN FGG-680** SAE 140 Food Grade, ISO 680

Synthetic POLYGLYCOL (PAG) H1

- FOODSAFE® **PETRO-LUBE PAG FG-150** SAE 85W, Food Grade, ISO 150
- FOODSAFE® **PETRO-LUBE PAG FG-220** SAE 90, Food Grade ISO 220
- FOODSAFE® **PETRO-LUBE PAG FG-320** SAE 90/140, Food Grade, ISO 320
- FOODSAFE® **PETRO-LUBE PAG FG-460** SAE 140, Food Grade, ISO 460
- FOODSAFE® **PETRO-LUBE PAG FG-680** SAE 140, Food Grade, ISO 680



Gear Lubricants

Synthetic POLYGLYCOL (PAG) H2

PETRO-LUBE PAG 220 SAE 90, ISO 220
PETRO-LUBE PAG 320 SAE 90/140, ISO 320
PETRO-LUBE PAG 460 SAE 140, ISO 460
PETRO-LUBE PAG 680 SAE 140, ISO 680

Synthetic Extreme Pressure Gear Lubricants H2

GEARSYN EP-150 SAE 85W, ISO 150
GEARSYN EP-220 SAE 90, ISO 220
GEARSYN EP-320 SAE 90/140, ISO 320
GEARSYN EP-460 SAE 140, ISO 460
GEARSYN EP-680 SAE 140, ISO 680

Synthetic Heavy Duty Gear Lubricants H2

GEARSYN 75W-90 Heavy Duty
GEARSYN 80W-140 Heavy Duty

Hydraulic Oils

Mineral Based Hydraulic & Food Machinery A/W Oils H1

FOODSAFE® **FMO 32** (Hydraulic) Food Grade, ISO 32, SAE 10W
FOODSAFE® **FMO 46** (Hydraulic) Food Grade, ISO 46, SAE 15W
FOODSAFE® **FMO 68** (Hydraulic) Food Grade, ISO 68, SAE 15/20W
FOODSAFE® **FMO 100** (Hydraulic) Food Grade, ISO 100, SAE 30

Semi-Synthetic H1

FOODSAFE® **HYDRAULIC FG-32** Food Grade, ISO 32, SAE 10W
FOODSAFE® **HYDRAULIC FG-46** Food Grade, ISO 46, SAE 15W
FOODSAFE® **HYDRAULIC FG-68** Food Grade, ISO 68, SAE 15/20W
FOODSAFE® **HYDRAULIC FG-100** Food Grade, ISO 100, SAE 30

Synthetic H1

FOODSAFE® **HYDSYN FGH-32** Food Grade, ISO 32, SAE 10W
FOODSAFE® **HYDSYN FGH-46** Food Grade, ISO 46, SAE 15W
FOODSAFE® **HYDSYN FGH-68** Food Grade, ISO 68, SAE 15/20W
FOODSAFE® **HYDSYN FGH-100** Food Grade, ISO 100, SAE 30

Semi-Synthetic Industrial H2

SEMI-SYN HYDRAULIC 32 ISO 32, SAE 10W
SEMI-SYN HYDRAULIC 46 ISO 46, SAE 15W
SEMI-SYN HYDRAULIC 68 ISO 68, SAE 15/20W
SEMI-SYN HYDRAULIC 100 ISO 100, SAE 30

Synthetic Industrial H2

HYDSYN 32 ISO 32, SAE 10W
HYDSYN 46 ISO 46, SAE 15W
HYDSYN 68 ISO 68, SAE 15/20W
HYDYN 100 ISO 100, SAE 30

Air Compressor Lubricants

FOODSAFE® **PETRO-COMP FG-40XL** Food Grade Synthetic (PAO) Long Life Compressor Oil, ISO 46, H1
FOODSAFE® **SYNCOMP FG-32XL** Food Grade Synthetic (PAO) Compressor Oil ISO 32, H1
FOODSAFE® **SYNCOMP FG-46XL** Food Grade Synthetic (PAO) Compressor Oil ISO 46, H1
FOODSAFE® **SYNCOMP FG-100XL** Food Grade Synthetic (PAO) Compressor Oil ISO 100, H1
FOODSAFE® **BLOWER OIL FG-220** Food Grade Synthetic Blower Lubricant, ISO 220, H1

Air Tool Lubricants

FOODSAFE® **AIRLINE TOOL FG-32** Food Grade Synthetic, SAE 10W, Air Line Oil H1
FOODSAFE® **AIRLINE TOOL FG-46** Food Grade Synthetic, SAE 15W, Air Line Oil H1
FOODSAFE® **AIRLINE TOOL FG-68** Food Grade Synthetic, SAE 20W, Air Line Oil H1
AIRGUARD 32 Synthetic, ISO 32, Air Tools Lubricant H2
AIRGUARD 46 Synthetic, ISO 46, Air Tools Lubricant H2
AIRGUARD 68 Synthetic, ISO 68, Air Tools Lubricant H2
AIR-LUBE 32 Mineral Based, ISO 32, Air Tools Lubricant H2
AIR-LUBE 68 Mineral Based, ISO 68, Air Tools Lubricant H2

Food Grade Machinery A/W Mineral Oils

USP Grade White Oils fortified with additives to provide protection against corrosion, wear and oxidation. Food Machinery Oils for Hydraulic systems, Gearboxes, chains, bearing, vacuum pumps, blowers and slide ways.

FOODSAFE® **FMO 32** Food Grade H1, Hydraulic ISO 32
FOODSAFE® **FMO 46** Food Grade H1, Hydraulic ISO 46
FOODSAFE® **FMO 68** Food Grade H1, Hydraulic ISO 68
FOODSAFE® **FMO 100** Food Grade H1, Hydraulic ISO 100
FOODSAFE® **FMO 150** Food Grade H1, Gear ISO 150
FOODSAFE® **FMO 220** Food Grade H1, Gear ISO 220
FOODSAFE® **FMO 320** Food Grade H1, Gear ISO 320
FOODSAFE® **FMO 460** Food Grade H1, Gear ISO 460
FOODSAFE® **FMO 680** Food Grade H1, Gear ISO 680

Food Grade Pure White Mineral Oils

FOODSAFE® **WHITE OIL FG-10** 3H, H1 Food Grade NF Light Mineral Oil, ISO 10
FOODSAFE® **WHITE OIL FG-15** 3H, H1 Food Grade NF Light Mineral Oil, ISO 15
FOODSAFE® **WHITE OIL FG-32** 3H, H1 Food Grade NF Light Mineral Oil, ISO 32
FOODSAFE® **WHITE OIL FG-46** 3H, H1 Food Grade USP White Mineral Oil, ISO 46
FOODSAFE® **WHITE OIL FG-68** 3H, H1 Food Grade USP White Mineral Oil, ISO 68
FOODSAFE® **WHITE OIL FG-100** 3H, H1 Food Grade USP White Mineral Oil, ISO 100

Refrigeration Lubricants

FOODSAFE® **AMMONIA COMPRESSOR FG-68** Food Grade Ammonia Hydrotreated Refrigeration Compressor Oil, ISO 68, H1
AMMONIA COMPRESSOR 68 Ammonia Hydrotreated Refrigeration Compressor Oil, ISO 68, H1
SYNFRIG PAO FG-32 Synthetic PAO, ISO 32, Refrigeration Lubricant H1
SYNFRIG PAO FG-46 Synthetic PAO, ISO 46, Refrigeration Lubricant H1
SYNFRIG PAO FG-68 Synthetic PAO, ISO 68, Refrigeration Lubricant H1
SYNFRIG PAO FG-100 Synthetic PAO, ISO 100, Refrigeration Lubricant H1

SYNCOMP PAO-32 Synthetic (PAO) Rotary Screw Air Compress Oil, ISO 32
SYNCOMP PAO-46 Synthetic (PAO) Rotary Screw Air Compress Oil, ISO 46
SYNCOMP PAO-68 Synthetic (PAO) Rotary Screw Air Compress Oil, ISO 68
PETRO-COOLANT 32 Synthetic (PAG/ESTER) Rotary Screw Air Compressor Oil, ISO 32
PETRO-COOLANT 46 Synthetic (PAG/ESTER) Rotary Screw Air Compressor Oil, ISO 46
PETRO-PLUS 46 Synthetic Polyol ester (POE) Compressor Oil, ISO 46
SYNCOMP D-100 Synthetic (Diester) Reciprocating Air Compressor Lubricant, ISO 100
AIR-COMP 46 Semi-Synthetic Air Compressor Oil, ISO 46
AIR-COMP 68 Semi-Synthetic Air Compressor Oil, ISO 68
AIR-COMP 100 Semi-Synthetic Air Compressor Oil, ISO 100
PETRO-COMP 46 Highly refined hydrocracked Air Compressor mineral Oil, ISO 46
PETRO-COMP 68 Highly refined hydrocracked Air Compressor mineral Oil, ISO 68
PETRO-COMP 100 Highly refined hydrocracked Air Compressor mineral Oil, ISO 100

Petrochem

SAFE RELIABLE MACHINERY LUBRICANTS



High performance premium synthetic, semi-synthetic, and mineral based lubricants for the food processing and baking industry's equipment needs.



PURCHASE DIRECT OR FROM THESE DISTRIBUTORS

